





Prescribing Milk in Neonatal Critical Care	
With the patient chart open, click the Enter New Orders button in the Chart tab	
Any documented allergies will show at the top of the order entry window, as well as weight and other relevant demographics	
Change the Mode field to Direct Nursing Entry	
Click into the dropdown field for 1.	

Prescribing Milk in Neonatal Critical Care

From the selection,
choose correctly for
Enteral Feed or
Enteral Feed (Trophic)

The screenshot shows the 'Enter New Orders' form with the following details:

- Mode:** Direct Nursing Entry
- 1.** [Dropdown menu]
- 2.** [Order Sets]
 - Dialysis/Irrigations
 - Enteral Feed** (highlighted)
 - Enteral Feed (Trophic)
 - Monitor PO Fluid Intake
 - Diagnostic Tests
 - Lab Tests
 - Patient/Family Care
 - Procedures
 - Respiratory Pt Care

Enteral Feed (Trophic) – Does not get included in the patient's fluid balance

Enteral Feed – Prescribed for nutrition

Dropdown 2 skips due
to the selection chosen

In dropdown 3. Select
the milk as appropriate





The screenshot shows the 'Enter New Orders' form with the following details:

- Mode:** Direct Nursing Entry
- 1.** Enteral Feed
- 2.** [Dropdown menu]
- 3.** [Dropdown menu]
 - 14% Neocate Standard Concentration - Enteral
 - 15% Neocate Standard Concentration - Enteral
 - 16% Neocate Standard Concentration - Enteral
 - 17% Neocate Standard Concentration - Enteral
 - 18% Neocate Standard Concentration - Enteral
 - Breastmilk (BMF) - Enteral** (highlighted)
 - Breastmilk (Donor) - Enteral
 - Breastmilk (Mature) - Enteral
 - Breastmilk (Preterm) - Enteral
 - Breastmilk + 2% SMA BMF - Enteral
 - Monogen - Enteral

Fill in the order details,
mandatory fields are
marked with a red
asterisk (*)

The screenshot shows the 'Enter New Orders' form with the following details:

- Enteral Feed**
 - Base Soln * *Breastmilk (BMF)*
 - VBF (Y/N)
 - Total vol.goal(ml/24hr)
 - VBF max rate
 - Rate
 - Administered volume
 - Additive
 - Frequency * [Dropdown menu]
 - Route * *Enteral*
 - Order Instructions
 - Start
 - Stop
 - Other Instructions
 - Professional Domain *RN*
 - Pharmacist approval

Prescribing Milk in Neonatal Critical Care	
Be sure to fill in the Total vol.goal(ml/24hr) field	
To edit these fields, double click into the relevant field	Some information will be a dropdown based on your selection, some will be free-text
Ensure the correct start, schedule and stop time (if necessary for a stop time/date) have been set as well as any other relevant non-mandatory fields	
Click OK to finish with order entry	
Click Add Another if you're ordering more than one item	
Validated orders are shown in pink text on the drug chart, these need to be saved to be charted against	
Click Save Chart to save new orders for other colleagues to see/to chart against this order	