


## MEDVIEWER – REDACT CONTENT ON A PAGE / REMOVE A REDACTION

There is no indicator against Page and Bundle thumbnails to alert staff that there has been a redaction:




Only authorised staff have access to redact the content on a page, which can only be carried out from the Page View.

### REDACT A PAGE


On first entering the patient's Health Record...

The **Bundles View** displays:



Click on the **Page** you need to redact


The **Page View** displays:



Click on the **Spanner** icon at the top-right of the Page View




The **Page Options** menu displays:



The **Markup** setting will be against **View**, by default.


Click on the **Redact** radio button

A **Cross Hair** replaces the standard cursor onscreen:




Click and drag across the area of the Page needing to be redacted

The **Redaction** box displays:




Click the **x** icon in the Redaction toolbar to close the toolbar



Ensure you switch the Markup's **Redact** setting back to **View**, before you make any further clicks on the page, so as not to add more.

**Note:** Redaction Users are able to display or hide the Redaction with the **View** tickbox within the Page Options (Spanner icon) menu.



### DELETE A REDACTION


On first entering the patient's Health Record...

The **Bundles View** displays:



Click on the **Page** you need to add a tag to


The **Page View** displays:



Click on the **Spanner** icon at the top-right of the Page View



The **Page Options** menu displays:



The **Markup** setting will be against **View**, by default.

Click on the **Redact** button and then the **Redaction** box that you need to remove

The Redaction toolbar displays:



The **i** icon displays the user who created the icon.

Click the **Bin** icon to delete the redaction

The Redaction has now been removed:

